RECOMMENDED APPLICATIONS

Row Crops/Forage Crops/Turf Farms: Apply 1 to 2 qts. per acre Preplant/Planting: Apply and incorporate into the soil. Post-emergence up to fruiting stage: Foliar feed/side-dress. Post-grazing: Immediate application to soil. *Can be tank mixed with fertilizer. *Soil application mix with min. of 10 gallons of water.

Permanent Crops: Soil/Foliar: 1/2 gallon to 1 gallon per acre mixed with 50-100 gallons of water at bloom and fruit set. *Can be applied through irrigation.

Golf Courses – Greens and Fairways: Apply 1 to 2 qts. per acre (43,560 sq. ft.) mixed with a min. of 10 gallons of water.

Lawns, Turf, Shrubs, Ground Covers/Seasonal Color and New Lawns: Mix 4oz. (8 tbsp.) with 1gallon of water per 1000 sq. ft. Water in thoroughly. Repeat every 4-6 weeks. Apply to soil prior to sodding, seeding or sprigging.

Interior Foliage/House Plants: Mix 1/2-1 tsp. per 1 gallon of water. May be applied as foliar spray or drench. Repeat every 2 weeks.

FOR BEST RESULTS IN AGRICULTURAL APPLICATION:

- Ensure tank is free of residue, if using chlorinated water, let tank sit for 24 hrs (with lid removed) before mixing.
- Do not apply when a crop is severly stressed.
- Do not mix with fungicides or insecticides and do not apply within 2 weeks of applying fungicides.
 May be mixed with a herbicide.
- May be mixed with a herbicide.
- Use only as directed on the label.
- Shake well before using.

 (\blacklozenge)

(•)

- Keep out of the reach of children.
- Eye Contact: Flush with water/call physician.
- Skin Contact: Exposure may result in dry skin. Rinse/Apply lotion.
- Ingestion: May cause nausea or vomiting. Seek immediate medical attention.
- In case of spills disperse with water, treat like surfactant or soap spillage.



Net Contents: 2.5 Gallons | 21Lbs | 9.53Kg | 9.46L

N-TEXX® Soil Inoculant with Humic Acid is a microbial-based product intended to increase the active biomass in the soil. The product makes no nutrient claims, but it introduces microbes into the soil resulting in improved plant vigor and nutrient cycling.

CONTAINS NONPLANT FOOD INGREDIENTS

Active Ingredients:

Bacillus subtillus	1,000,000 cfu/mL
Pseudomonas putida	1,000,000 cfu/mL
00.03%	Humic Acid (derived from leonardite)
Inert Ingredients:	
Water	99.97%

Disclaimer or Conditions of Sale: The information contained on this label is believed to be accurate and reliable. Buyer and user acknowledge and assume all liability resulting from the use of the material. Follow directions carefully. Timing, method of application, weather, crop conditions and other factors are beyond the control of the seller. Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm.



LOT NO. DATE





 \bigcirc

 \bigcirc