



All Natural

N **TEXX**[®]

**SOIL INOCULANT
WITH HUMUS**

PRODUCT

An all-natural liquid soil inoculant formulated to enhance soil structure, root development, nutrient uptake, and water infiltration.

FEATURES

- Enhances fertilizer program by increasing plant nutrient uptake.
- Reduces crusting of topsoil.
- Improves water infiltration.
- Increases root mass growth.
- Increases seed germination emergence.
- Improves soil environment for plant growth by building the aerobic zone of the soil.
- Stimulates soil microorganisms that provide essential nutrients for plants through their productive biological processes.
- Easily applied using various irrigation systems (spray, trickle, overhead, drip, surge, and L.E.P.A.)
- Concentrated for freight savings.
- Affordable cost.
- Animals may graze immediately after application.
- Stable for up to 1 year when stored as directed.
- Optimal temperature range for microorganisms is 50°-100°F.
- May be soil and foliar applied.

APPLICATIONS

Row and forage crops:

1 gallon per 100 gallons water for up to 10 acres.

- Preplanting/planting: Apply and incorporate into the soil.
- Post emergence up to fruiting stage: Foliar feed.
- Post harvest/post grazing: Immediate application to soil.

Golf Courses:

Two applications per year. Early Spring and Early Fall.

- Greens: At least a pint per acre (43,560 sq. ft.) mixed in 50-100 gallons of water.
- Fairways: At least a quart per acre (43,560 sq. ft.) mixed in 50-100 gallons of water.

Turf Farms:

At least a pint per acre up to a quart per acre are mixed in 50-100 gallons of water.

At least two applications per crop.

Lawns, Turf, Shrubs, Ground Covers/Seasonal Color, New Lawns:

2 oz. (4 Tbsp.) with 1 gallon of water per 1000 sq. ft. Water in thoroughly. Repeat every 4-6 weeks.

Interior Foliage/House Plants:

1/2 tsp. - 1 tsp. per 1 gallon of water. May be applied as foliar spray or drench. Repeat every 2 weeks.

FOR BEST RESULTS

- Ensure tank is free of residue before mixing.
- Do not apply when a crop is severely stressed.
- Do not mix with insecticides.
- May be mixed with 2-4-D herbicides.
- Clean sprayer and nozzles thoroughly with water or soap mixture (do not use anti-bacterial).

INGREDIENTS

Bacillus sp., Pseudomonas sp., Arthrobacter sp., Rhodococcus sp., Chlorobium sp., Cyanobacteria sp., Actinomycetes sp., water, and liquid humus acid (derived from Leonardite)

STORAGE CONDITIONS REQUIRED

Product is best stored under 90°F. Keep container closed tightly.

PACKAGE SIZES

275-gallon tote | 55-gallon drum | 30-gallon drum | 4-gallon pail | 1-gallon bottle

Disclaimer or Conditions of Sale: The information contained on this label is believed to be accurate and reliable. Buyer and user acknowledge and assume all liability resulting from the use of this material. Follow directions carefully. Timing, method of application, weather, crop conditions and other factors are beyond the control of the seller. Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label.



1100 E. Sandy Lake Rd.
Coppell, TX 75019
Ph: 972.471.7775
www.cxinternational.com